



**You have downloaded a document from  
RE-BUS  
repository of the University of Silesia in Katowice**

**Title:** Is there active tectonics at the Nile cataracts in Sudan? An archaeoseismological study

**Author:** Miklos Kazmer, Nada Bushra El Tahir, Krzysztof Gaidzik, Balázs Székely

**Citation style:** Kazmer Miklos, Bushra El Tahir Nada, Gaidzik Krzysztof, Székely Balázs. (2020). Is there active tectonics at the Nile cataracts in Sudan? An archaeoseismological study. "Geophysical Research Abstracts" Vol. 22 (2020), art. no 10595, doi 10.5194/egusphere-egu2020-10595



Uznanie autorstwa - Licencja ta pozwala na kopiowanie, zmienianie, rozprowadzanie, przedstawianie i wykonywanie utworu jedynie pod warunkiem oznaczenia autorstwa.



UNIwersYTET ŚLĄSKI  
W KATOWICACH



Biblioteka  
Uniwersytetu Śląskiego



Ministerstwo Nauki  
i Szkolnictwa Wyższego

# Is there active tectonics at the Nile cataracts in Sudan?

## An archaeoseismological study

M. Kázmér<sup>1</sup>, N.B. El-Tahir<sup>3</sup>, Y.F. Tahir<sup>2</sup>, M.S. Balulla<sup>2</sup>, K. Gaidzik<sup>3</sup>, B. Székely<sup>1</sup>

<sup>1</sup>Eötvös University, Budapest, Hungary


<sup>2</sup>University of Khartoum, Sudan

<sup>3</sup>University of Silesia, Sosnowiec, Poland

An earthquake nearby Cataract 6  
Could easily damage Naga temples




Cataract 6  
(Haggard, 1908)



- Nile carved >2 km deep canyon during Messinian time
- Unable to remove 6 cataracts in millions of years
- Are there active faults at cataracts?
- Instrumental seismic record: 20 years only
- No historical data
- **Archaeoseismological survey in progress**

Lack of  
intraplate seismicity  
in Sudan



Khartoum

Evidence for active tectonics –  
Archeoseismology of Naga (1-3rd century)

EMS98  
Intensity I = IX

Amon temple




Shifted  
blocks

Lion  
temple



Fractured arch  
/ Tilted wall

Hathor temple



Shifted  
blocks

Acknowledgements

IGCP-659

Seismic risk assessment in Africa

EGU2020-10595

<https://doi.org/10.5194/egusphere-egu2020-10595>

EGU General Assembly 2020

© Author(s) 2020. This work is distributed under the Creative Commons Attribution 4.0 License.



## Is there active tectonics at the Nile cataracts in Sudan? An archaeoseismological study

Miklos Kazmer<sup>1,2</sup>, Nada Bushra El Tahir<sup>3</sup>, Krzysztof Gaidzik<sup>4</sup>, and **Balázs Székely**<sup>5</sup><sup>1</sup>Eotvos University, Department of Paleontology, Budapest, Hungary (mkazmer@gmail.com)<sup>2</sup>MTA-ELTE Geological, Geophysical and Space Science Research Group, Budapest, Hungary<sup>3</sup>University of Khartoum, Department of Geology, Khartoum Sudan<sup>4</sup>University of Silesia, Department of Earth Sciences, Sosnowiec, Poland<sup>5</sup>Eotvos University, Department of Geophysics, Budapest, Hungary

The Nile is the longest river on earth, accordingly with huge drainage and major floods, regulated by the African monsoon. Significant amount of sediment is carried by the river; its deposition forms alluvial plains along most of its course. However, in Upper Egypt and northern Sudan there are six major and several minor cataracts totalling 327 km in length. There the river flows directly on bedrock, and a multitude of islands and rocks in the riverbed makes navigation hard or impossible throughout much of the year. Obviously, the Nile is unable to remove these obstacles from its flow (despite its ability to carve a deep canyon in the African continent during Messinian lowstand of the Mediterranean Sea). It has been suggested that the Cataract Nile is in a youthful stage, flows along structurally controlled turns and that earthquakes in southern Egypt prove that portions of the Nubian Swell are still tectonically active (Thurmond et al., 2004). However, the Sudan part of the river does not show any seismic activity. An archaeoseismological study is in progress to locate evidence of past earthquakes preserved in monumental architecture erected during the past 3500 years. Pyramids in Meroe display masonry shifted in plane of the wall: this was caused by one or more earthquakes of intensity  $I_0 = 9$  on the Archaeological Intensity Scale. We suggest that an ongoing systematic study of monumental stone and adobe buildings along the Nile in the region of the Nubian Swell will find further evidence of major earthquakes in the region, contributing to a better understanding of seismic hazard in Sudan.

### Reference

Thurmond, A.K., Stern, R.J., Abselsalam, M.G., Nielsen, K.C., Abdeen, M.M., Hinz, E. (2004): The Nubian Swell. - *Journal of African Earth Sciences* 39, 401-407.